



Model	SD 60	Road No.	5959	Frame No	867147-29	Sold To	
OEM Serial#		Date Built	1986	Origin	CNW 8029		
Inspector	T. Sharp	Location	SLP	Date	12/16/15		

BOTTOM INSPECTION

Front	Short	Long		Nose		High	Low	MU	Yes	No	MU Hoses	YES
Dynamics	Yes	No		Extended	Yes	No		Grid(s) Condition	FAIR			
Bell	Yes	No		Horn	Yes			Frame Condition	FAIR			
Fuel Tank Size	4000			Retention Tank	Yes			Condition	FAIR			
Wheels	L1 1 3/8	L4	1 1/2	R1	1 3/8	R4	1 1/2					
SIZE	L2 1 9/16	L5	1 1/4	R2	1 9/16	R5	1 1/4					
	L3 1 1/4	L6	1 11/16	R3	1 1/4	R6	1 11/16					
Box TYPE	1: Hyatt/Timken	2: Hyatt/Timken	3: Hyatt/Brenco	4: Hyatt/Brenco	5: Hyatt/Timken	6: Hyatt/Timken						
T.M. Type	1 D87B	4 D87B	List cut / missing TM leads	NONE								
	2 D87B	5 D87B	Gear Ratio		Brake Shoe Type	COMP						
	3 D87B	6 D87B	Axle Drive Type & Conc	QUANTUM								
Draft Gear Type & Cond	Front 390	Rear	390									
Draft Gear Pocket Cond	Front GOOD	Rear	GOOD									
Coupler Type Front	E	Rear	E	Self-aligning	YES	Condition	FAIR					
Pilot Type	PLATE W/POCKETS	General Condition		Plow Type	HIGH							
Truck Type	1 HTC	2 HTC	Rigging Pin Type	1 SINGLE	2 SINGLE							
Brake Cyl.	1 High	2 High										

LONGHOOD INSPECTION

Walkway Condition	GOOD	Handrail Condition	GOOD				
Engine Type	16-710-G3A	S/N	10-M3-1003	EMD Block No (from A frame)	16G00J9	Bars Over	YES
GE Engines:	Block # ----	H' number		Manufacturer	Japstar	Anleister	BCI
Engine Overall Condition	----	Internal / Bottom End Condition	----				
Turbo P/N	40031530SL	S/N	10-L3-1024	Condition	FAIR	Diffusor Condition	FAIR
Fuel Pump	Yes	No	PreHeater	Yes	No	Oil Cooler	Yes
Fuel Bypass Valve & Gage		No	Spark Arrestors	NO	Exhaust Leaks		No
Spin On Filters	Yes	Load Reguator Style	ACTUATIONG GOV	Defect Tag	Yes		No
Radiators	In	Leaks?	No	Radiator Type	Soldered	Mech. Bond	
Fire Extinguishers:	Longhood	NO	Cab	Yes	No		
AC Cabinet	YES	Fan Fuses	Yes	No	200 Lb. Air Gauge	Yes	No
Air Compressor Type	WBO	Base Style	HIGH	Condition	FAIR		
Air filter media type	Baggie	Paper	Other				
Air Brake Type/System	26L	Condition					
EMD Main Gen/Alt. Type	AR11WBA/I	S/N	86F1-1014	Condition	FAIR		
EMD Aux. Generator Type	18KWAC	S/N	NO ACCES:	Condition			
GE AUXI	Model	Serial #		Condition			
GE EXCITER	Model	Serial #		Condition			
A.G. Blower Wheel Type	DUAL	Condition	GOOD				



FANS

D.B. Fan	Qty. <u>1</u>	Size <u>48"</u>	Blades <u>8</u>	Type <u>Cast</u>	Fab
#1 Cool Fan	Size <u>48"</u>	Blades <u>9</u>	Type	<u>Fab</u>	GE, ALCO
#2 Cool Fan	Size <u>48"</u>	Blades <u>9</u>	Type	<u>Fab</u>	Fan Drive Type
#3 Cool Fan	Size <u>48"</u>	Blades <u>8</u>	Type	<u>Fab</u>	Eddy Current Direct Drive
#4 Cool Fan	Size _____	Blades _____	Type <u>Cast</u>	<u>Fab</u>	Condition _____
Equipment Rack	Yes	No	Type _____	Inertial Filters & Blower Motor	Yes No
Carbody Condition	<u>GOOD</u>				
Paint Color/Condition	Carbody <u>YELLOW</u>	Eng Room <u>GRAY</u>	Cab <u>GRAY</u>		

CAB/SHORT NOSE INSPECTION

Cab Condition	Floor <u>OK</u>	Wall <u>FAIR</u>	Glass Meet FRA Req <u>YES</u>	Condition <u>GOOD</u>
Cab Lights	<u>YES</u>	Modules <u>YES</u>	# missing <u>NONE</u>	Air Brake change date <u>2/27/14</u>
H.V. Cabinet	Wire Condition _____	Wire Type <u>Exane</u>	Hypalon	Gear <u>Magnetic</u>
Evidence of rewire?	<u>No</u>	Comments _____		
Speedo Type <u>BACH SIMPSON</u>	Heaters	Water <u>Electric</u>	<u>Strip</u>	Seats <u>3</u> Arm Rests <u>YES</u>
Cab Cards <u>YES</u>	(If yes, record available data)	Event Recorder Equipped <u>YES</u>	Type <u>Q1846E</u>	
Toilet Type <u>PRIME</u>	Water Cooler Type <u>DAYTON</u>	Wipers <u>YES</u>	Visors <u>4</u>	
Batteries <u>In</u>	Out	Condition <u>FAIR/ GOOD</u>	Style <u>UNIT</u>	
Control Stand Type <u>AAR</u>	Condition <u>GOOD</u>			
Radio Equipment	<u>Yes</u>	No	EOT? <u>YES</u>	Alerter? <u>YES</u>
			Cab Signal? <u>YES</u>	Computer Control? <u>X</u>

ADDITIONAL DEFECTS/COMMENTS

RETURNED FROM BN LEASE 12/15/2015

AR11 BEARING WILL NEED TO INSPECTED FOR POSSIBLE FAILURE UPON SALE OR LEASE

FRONT ANTI CLIMBER SLIGHTLY BENT/ DAMAGED

UNIT IS OVERLOADING ON THROTTLE SWIPE

2600 GALLONS OF FUEL ON BOARD



Lined writing area with horizontal lines and a dashed border.

(attach additional pages if needed)